

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln of:	BEISHLINE et al.	Att. Docket No.:	PCB107
Title:	FAILSAFE ACTUATOR		
Serial No.:	10/625,828	Art Unit:	3616
Filed:	July 23, 2003	Examiner:	Dunn, David R.
Customer No.:	32047	Confirmation No.:	8955

Mail Stop Amendment
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

AMENDMENT PURSUANT TO 37 CFR 1.111

Sir:

This in response the Official Action in this case mailed November 21, 2005. A petition for a three-month extension of time is enclosed to extend the shortened statutory period for reply from February 21, 2006 to May 22, 2006 (Monday). Applicants believe that no other extension of time is required. However, Applicants conditionally petition for an extension of time to provide for the possibility that the need for such a petition has been inadvertently overlooked. As provided below, please charge Deposit Account No. 50-2121 for any additional required fee.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims that begins on page 3 of this paper.

Amendments to the Drawings begin on page 8 of this paper and include an attached replacement sheet.

Remarks/Arguments begin of page 9 of this paper.

An **Appendix** including a sheet of new drawings is attached following page 11 of this paper.